

**NAME**

otfinfo – report information about OpenType fonts

**SYNOPSIS**

**otfinfo** [-sfzpvag] [*FILE*...]

**DESCRIPTION**

**Otfinfo** reports information about the named OpenType font *FILE*s (or standard input, if no *FILE*s are given). Results are printed to standard output. Each line is prefaced with the relevant *FILE* if more than one *FILE* was supplied.

**OPTIONS**

With long options, you need type only as many characters as will make the option unique.

**Query options****-s, --scripts**

Print supported scripts and language systems. The scripts are printed one per line, with human-readable descriptions; for example:

```

cyr1      Cyrillic
grek      Greek
latn      Latin
latn.TUR   Latin/Turkish
```

**-f, --features**

Print GSUB and GPOS features supported by the selected script (see the **--script** option below). The scripts are printed one per line, with human-readable descriptions; for example:

```

aalt  Access All Alternates
c2sc  Small Capitals From Capitals
case  Case-Sensitive Forms
cspsp Capital Spacing
...
zero  Slashed Zero
```

**-z, --optical-size**

Print optical size information. For example:

```
design size 11 pt, size range (8.4 pt, 13 pt], subfamily ID 11, subfamily name Semibold Italic
```

**-p, --postscript-name**

Print each font's PostScript name. For example:

```
MinionPro-SemiboldItCapt
```

**-a, --family**

Print each font's family name. For example:

```
Minion Pro
```

**-v, --font-version**

Print font version information, if available. For example:

```
OTF 1.013;PS 001.000;Core 1.0.27;makeotf.lib(1.11)
```

**-i, --info**

Print each font's name, version, designer, vendor, copyright, and license information. For example:

```
Family:      Minion Pro
```

```

Subfamily:      Regular
Full name:      Minion Pro
PostScript name: MinionPro-Regular
Version:        OTF 1.011;PS 001.000;Core 1.0.27;makeotf.lib1.3.1
Unique ID:      1.011;ADBE;MinionPro-Regular
Designer:       Robert Slimbach
Vendor URL:      http://www.adobe.com/type/
Trademark:      Minion is either a registered trademark or a trademark of Adobe Systems Incorporated in
Copyright:       © 2000 Adobe Systems Incorporated. All Rights Reserved. U.S. Patent Des. 337,604. Ot
License URL:     http://www.adobe.com/type/legal.html

```

**-g, --glyphs**

Print the name of every glyph in each font, one per line. For example:

```

.notdef
space
exclam
...
ncommaaccent.end
lje.alt

```

Works for PostScript-flavored OpenType fonts only.

**-t, --tables**

Print the size and name of every OpenType table in the font. For example:

```

52 BASE
87723 CFF
4940 DSIG
21366 GPOS
...

```

**-T *table*, --dump-table=*table***

Print the contents of the font's OpenType table *table*.

**Miscellaneous options****--script=*script*[*.lang*]**

Select the script system *script* and language system *lang* used to look up features by **--features**. Examples include "latn" (Latin script), "grek" (Greek script), and "yi.YIC" (Yi script with classic characters). If *lang* is not specified, `otfinfo` will use the default language system for that script. Defaults to "latn".

**-V, --verbose**

Write progress messages to standard error.

**-q, --quiet**

Do not generate any error messages.

**-h, --help**

Print usage information and exit.

**--version**

Print the version number and some short non-warranty information and exit.

**SEE ALSO**

**otftotfm(1)**

*OpenType Specification*, Version 1.4

**AUTHOR**

Eddie Kohler (ekohler@gmail.com)